Hubitools
INNOVATIVE TOOL EXPERTS

INNOVATIVE TOOL EXPERTS



International Organization for Standardization
ISO
9001

Design

CATALOGUE 2026/09

EN

With over 40 years experience in the distribution of innovative tools, Hubitools is your key partner in the automotive and industrial repair sector.

Since 2016, we've been developing our own Hubitools Design range, featuring unique, patented tools designed to help professionals solve common problems in modern vehicles.

In addition to our patented products, we have long been the exclusive European distributor for international manufacturers of quality tools.

We offer our partners a complete service from A to Z: multilingual marketing packages, technical training in our video studio, after-sales service and private-label customization.




NEW PRODUCT HIGHLIGHTS



AGM BOOSTERS P.10



SMART BATTERY CHARGERS P.12



HYBRID & EV TEST LEAD KIT P.14



EV MULTIMETERS P.16





UNIVERSAL PRESSURE TESTER 2.0 WITH WIRELESS MODULE P.24



PROFESSIONAL 3-IN-1 COOLING SYSTEM SERVICE KIT P.39



PARKING SENSOR INSTALLATION KIT P.6



ELECTRONIC BRAKE PRO BLEEDER P.31

NEW

2-IN-1 HOT AIR & HOT IRON PLASTIC REPAIR STATION

HU31040

CLICK OR SCAN TO DISCOVER IT ON YOUTUBE

- Ultra-competitive price and fast return on investment
- Compact and ergonomic design
- Encourages repair rather than replacement
- Consumable kit included
  PC, PP/PE, PS rods and metal mesh)





Hot air welder

- Adjustment of air flow (3 L/min to 24 L/min) and temperature (100°C to 500°C)
- Designed for professional plastic rod welding
- Ultra-fast preheating
- Ensures strong welds and allows precise addition of plastic material required for repair
- Automatic hot air shut-off when the handle is placed back on its holder

Airless iron welder

- Adjustable temperature (50°C to 480°C)
- Ready to use in less than 30 seconds
- Heating tip specially designed to melt plastic, apply mesh reinforcement, repair or replace a parking sensor mount, etc.

NEW

BUMPER TAB REPAIR KIT

HU31042

COMING SOON

The side bumper mounts are frequently damaged during impacts or removal. The HU31042 kit allows broken mounts to be quickly reconstructed by accurately reproducing their original geometry and thickness, ensuring a perfect fit. It is used in combination with the HU31040 Plastic Repair Station.

Benefits:

- Cost-effective bumper repair
- Accurate reconstruction of original mounting tabs
- Consistent and controlled thickness
- Significant time savings
- Reduces unnecessary bumper replacement.
- Compatible with the main thermoplastic materials used in automotive body repair

Content:

- Set of 8 reconstruction templates
- Alignment plate
- Positioning accessories
- Hot reshaping pliers

Applications:

- Front and rear bumpers
- Side fixings
- Guide and clipping tabs





CLICK OR SCAN TO DISCOVER IT ON YOUTUBE


BEFORE



















AFTER



NEW

PARKING SENSOR INSTALLATION KIT

HU31034

CLICK OR SCAN TO DISCOVER IT ON YOUTUBE

- Ideal for professional installation of plastic brackets for parking aid sensors.

The kit includes :

- 1 powerful cordless welding device with LED light
- 3 dedicated heads with end-stop to prevent damage to the front of the bumper









COMPLETE SET FOR PLASTIC REPAIR

HU31031

- Cordless tool designed for efficient plastic repair.
- 30W Lithium battery powered device featuring a pen-style design for comfortable and precise handling.

Includes 3 specific tips:

- Universal tip for quick and effective plastic melting.
- Plastic injection tip, ideal for using the supplied plastic rods for precise repairs.
- Staple tip, allowing the use of the supplied staples to secure plastic parts during repair.








CORDLESS SOLDERING IRON

HU31030

- 30W Lithium battery powered device with pencil-style body and three dedicated tips:
- Large tip for standard electrical soldering work
- Thin tip for more precise/electronical soldering work
- Heat shrink sleeves heating tip









AIR VACUUM DENT PULLER

HU44016

CLICK OR SCAN TO DISCOVER IT ON YOUTUBE



- Vacuum sliding hammer to pull dents without grinding or damaging the paint
- Can be used for PDR (paintless dent removal) but also prior to grinding the paint on a regular dent repair work
- Supplied with 3 different suction cups
- Operates using standard garage compressed air
- Sliding hammer's weight: 1,2kg, total weight: 4,7kg



5 PIECE TRIM CLIP LIFTER SET

HU44019

- Ideal for plastic clip removal
- Sturdy and super slim design
- Will not bend like the plastic levers do







MAGNETIC UNDERBONNET LIGHT

HU21046

Ideal for under-the-hood work in the workshop

- Powerful, even lighting (80 to 1200 lumens)
- COB technology for optimal visibility
- Rechargeable Li-ion 18650 battery – 3.7V / 4000 mAh
- Runtime: 2 to 15 hours depending on brightness level
- Charging time: max 4.5 hours (USB-C)





CLICK OR SCAN TO DISCOVER IT ON INSTAGRAM



NEW TURBO JET AIR BLOWERS

HU14021 MINI BLOWER

HU14022 JUMBO BLOWER

CLICK OR SCAN TO DISCOVER IT ON YOUTUBE





ONE TOOL. ENDLESS USES.

AUTOMOTIVE & DETAILING

- Quick-drying after car wash
- Drying after painting or coating
- Removes polish or compound dust

CLEANING & MAINTENANCE

- Dust removal from tools, vents, and filters
- Clears garages, workshops, and floors
- Dries surfaces after cleaning

INDUSTRIAL & WORKSHOP

- Dries equipment and machinery
- Clears shavings, sawdust, and particles
- Cools tools and materials

OUTDOOR USE

- Removes snow, fallen leaves, and debris
- Ideal for patios, driveways, and garden tools
- Starts BBQs or campfires

ACCESSORIES FOR THE HU14022

HU14022-2



Boost Nozzle



Diffuser Nozzle



Extension Nozzle




Carry Case

HU14022-5

















AGM BOOSTER 12V – 2500PA

HU34060

COMING SOON

- 12V-2500 Peak amps
- LED charge level indicators
- 2A automatic charger
- 12V cigarette lighter output
- Pure copper cables – 20mm² cross-section / 100cm length
- 500A Protection fuse on the positive cable (with smart fuse holder)
- HD Professional clamps with copper bridge





AGM BOOSTER 12/24V – 5000PA

HU34061

- 12/24V-5000/2500 Peak amps
- Heavy-duty case with ergonomic handle
- Digital display (battery level in % and V)
- 4A Smart charger
- 0/12V/24V selection switch
- Emergency LED lamp
- Pure copper cables – 35mm² cross-section / 160cm length
- HD Professional clamps with copper bridge
- 12V output and USB output
- 500A Protection fuse on the positive cable (with smart fuse holder)
- Reverse polarity alarm





SMART LITHIUM BOOSTER PRO 12V – 2500PA

COMING SOON

HU34062

- Ultra-safe LiFePO4 battery
- 16,000 mAh capacity
- Integrated LED lamp (5 modes)
- Digital display of charge level and errors
- PD 60W input (charging) – full charge in 1 hour 30 minutes
- Very fast recharging possible via the alternator once the vehicle has started
- USB-A output: 5V 2.1A and USB-C output: up to 60W PD





LITHIUM BOOSTER 12V / 24V

HU34035

- Peak current: 12v 1200A, 24v 600A
- Starting current: 12v 600A, 24v 300A
- Capacity 35,000mAh (102,4 Wh)
- Dimensions : 292 x 233 x 79mm

Key features :

- Compatible with 12V and 24V vehicles
- High-capacity battery for long usage cycles before recharging
- Professional design with long cables
- Powerbank
- LED light





SMART BATTERY CHARGERS

COMING SOON

6/12V 2A

HU34063

IP65

PROTECTION: OVER CHARGE · OVERHEATING · SHORT CIRCUIT · REVERSE POLARITY

- Compatible with AGM / GEL / STD / LiFePO4 batteries
- 6/12V output: 2A
- 7-stage charging program
- High-frequency technology
- Built-in microprocessor for automatic and intelligent charging
- Clamps and eyelets included
- LED display indicating real-time charging status
- Protection against: overcharge / overheating / short circuit / reverse polarity
- Protection rating: IP65





6/12V 6A

HU34064

IP65

PROTECTION: OVER CHARGE · OVERHEATING · SHORT CIRCUIT · REVERSE POLARITY

- Compatible with AGM / GEL / STD / LiFePO4 batteries
- 6/12V output: 6V-3A /12V-6A
- 9-stage charging program
- High-frequency technology
- Built-in microprocessor for automatic and intelligent charging
- Clamps and eyelets included
- Digital display
- Protection against: overcharge / overheating / short circuit / reverse polarity
- Protection rating: IP65





12/24V 15A

HU34065

PROTECTION: OVER CHARGE · OVERHEATING · SHORT CIRCUIT · REVERSE POLARITY

- Compatible with AGM / GEL / STD / LiFePO4 batteries
- Battery type selection
- 12/24V output: 12V- 4/8/15A; 24V-4/8A
- 25A BOOST charging mode
- Stabilized power supply mode (Showroom mode)
- Alternator testing function
- 9-stage charging program
- High-frequency technology
- Built-in microprocessor for automatic and intelligent charging
- Digital display
- Clamps included
- Protection against: overcharge / overheating / short circuit / reverse polarity




MULTI-FUNCTION FLASH BATTERY CHARGER 12V – 160A

COMING SOON

HU34066

THE MULTIFUNCTION CHARGER DESIGNED FOR PROFESSIONAL WORKSHOPS.

With a charging current of up to 160A and a stabilized voltage mode, it is ideal for diagnostics, electronic reprogramming (flash), maintaining batteries in showroom vehicles, as well as charging all types of lead-acid and lithium-ion batteries.



- Compatible with all 12V battery types (AGM, GEL, STD, EFB, LiFePO4)
- Diagnostic function / battery and alternator test
- Stabilized power supply function (Power Supply) with manually adjustable output voltage from 12.0V to 14.9V
- Adjustable current: 10 / 20 / 50 / 120 / 160 A
- Metal housing, pure copper cables, and heavy-duty clamps
- Intelligent 9-stage charging
- LCD screen with a simple and intuitive user interface
- Lightweight (8 kg) and compact design allowing the charger to be concealed under vehicles on display (showroom)
- Safety features: protection against short circuits, reverse polarity, overcharge, overheating, and sparks



START & STOP BATTERY TESTER WITH PRINTER

CLICK OR SCAN TO DISCOVER IT ON YOUTUBE

HU34012

- Quick check of battery condition (6–12V) and charging circuits (12–24V)
- For batteries from 40 to 2000 CCA
- Battery types: EFB, VRLA / GEL, Flat Plate AGM and Spiral AGM & Standard wet batteries
- 6 languages (EN, FR, ES, DE, IT, PT)



BATTERY TESTER & CHARGING SYSTEM ANALYSER WITH PRINTER

HU34039

- Large backlit display
- Standard-size printer paper
- Tests 12V batteries and 12V/24V charging systems
- Suitable for batteries from 40 to 2000 CCA
- Battery types: EFB, VRLA/GEL, AGM Flat Plate, AGM Spiral & standard wet batteries
- 3 functions: battery test, system test (alternator), and in-vehicle test (combination of battery and system test)
- 6 languages: EN, FR, ES, DE, IT, PT



PATENTED


NEW

HYBRID & EV TEST LEAD KIT

HU31045

Connection cable kit specially designed for electric and hybrid vehicles.
This kit stands out for its ability to adapt to the standardized copper contacts inside various connectors — regardless of their different external shapes.

Greatly facilitates measurements even when wearing gloves, thanks to its specially designed connectors!






CLICK OR SCAN TO DISCOVER IT ON YOUTUBE








This kit is used to check:

- The absence of voltage in locked-out vehicles
- The continuity of connectors, cables, or harnesses
- The insulation of the vehicle's various components


Compatible with:


- Voltage Absence Tester (VAT)
- Multimeter
- Megohmmeter (Insulation Tester)



Standards and safety:

Safety: CAT III 1000 V / CAT IV 600V (IP2X retractable caps)
- **Standards: CE, UKCA**
- **Load limit: 12 A**
- **NF EN IEC 62196-2**
- **Connection: 4 mm banana plug**









NEW

VOLTAGE ABSENCE TESTER

HU31046

COMING SOON

The essential safety tool before working on electric and hybrid vehicles

Designed for EV and HEV maintenance and repair, this voltage absence tester enables technicians to quickly and reliably verify that the high-voltage system is completely de-energized before any intervention.
An ideal complement to the patented HU31045 measurement lead kit, it supports lockout/tagout and safety procedures when working on high-voltage batteries, inverters, power cables and onboard electrical systems.



Applications :

- Verification of voltage absence on EV and HEV systems
- Safety checks before servicing high-voltage batteries
- Inspection of high-voltage cables and connectors
- Testing of inverters, onboard chargers and power electronics
- Compliance with manufacturer safety and lockout procedures

Benefits :

- Fast and reliable voltage absence verification
- Improves operator safety during maintenance and repair
- Essential for EV and HEV service operations
- Ideal complement to the HU31045 measurement kit
- Suitable for independent workshops, dealerships and training centres

---

NEW

HIGH VOLTAGE INSULATION TESTER

HU31047

COMING SOON

The essential solution for diagnosing high-voltage systems in electric and hybrid vehicles

Designed for EV and HEV diagnostics, maintenance and repair, the HU31047 checks the insulation condition of high-voltage components and circuits.
With test voltages of 100 / 250 / 500 / 1000 V and insulation resistance up to 2000 MΩ (2 GΩ), it detects insulation faults, leakage currents, damaged cables or connectors, moisture and insulation deterioration in batteries, motors, inverters and onboard chargers. Compatible with the HU31045 Measurement Lead Kit and HU31046 Voltage Absence Tester, it also provides AC/DC voltage, resistance and continuity measurements.



Applications :

- High-voltage insulation testing on EV and HEV
- High-voltage battery diagnostics
- Inspection of cables and connectors
- Testing of electric motors, inverters and onboard chargers
- Validation of repairs before returning the vehicle to service

Benefits :

- Test voltages: 100 V / 250 V / 500 V / 1000 V
- Insulation resistance measurement up to 2000 MΩ (2 GΩ)
- Automatic discharge after testing for enhanced safety
- Integrated multimeter functions (AC/DC voltage, resistance and continuity)
- Safety rated CAT IV 600 V and CAT III 1000 V

NEW

EV/HEV THERMAL IMAGING CAMERA

HUDT8862

CLICK OR SCAN TO DISCOVER IT ON YOUTUBE



The fast solution for detecting abnormal heat build-up in electric and hybrid vehicles

An ideal complement to the HU31045 Measurement Lead Kit, HU31046 Voltage Absence Tester and HU31047 Insulation Tester, the HUDT8862 Thermal Imaging Camera enables technicians to quickly locate thermal faults in high-voltage components without extensive vehicle disassembly.
It is a valuable tool for diagnosing batteries, electric motors, inverters, converters, onboard chargers, high-voltage cables and connectors.

Applications :

- High-voltage battery diagnostics
- Inspection of HV cables and connections
- Electric motor inspection
- Testing of onboard chargers and converters
- Detection of hot spots and poor connections
- Preventive maintenance of electric and hybrid vehicles

Benefits :

- SuperIR technology for enhanced image detail
- Fast detection of abnormal heat build-up
- Temperature measurement range from-20°C to +550°C
- Up to 8 hours operating time
- IP54 protection rating, ideal for workshop environments

Display modes :





SENSOR SIMULATOR / SIGNAL GENERATOR

HU31035

- The ideal tool to simulate sensors and activate actuators: frequency, voltage and test sequences.
- It will assist in diagnostics when analysis with the OBD2 diagnostic tool eaches its limits.
- Sensors, injectors, and actuators notify the OBD2 tool that there is a problem, but the sensor simulator allows the technician to determine whether the malfunction is due to a faulty sensor, an issue in the vehicle's ECU, or a wiring fault.







RESISTANCE • VOLTAGE • WAVE SINUS • SQUARE SINUS • TEMP COEFFICIENT SENSOR • THROTTLE & PEDAL SENSOR • OXYGEN LAMBDA SENSOR TEST (O2) • EXHAUST GAS PRESSURE SENSOR (EGR) • COMMON RAIL PRESSURE SENSOR • CAMSHAFT POSITION SENSOR (CMP) • CRANCKSHAFT POSITION SENSOR (CKP) • KNOCK SENSOR • MAP SENSOR • ABS SENSOR • MAF SENSOR • HVAC PRESSURE SENSOR


CLICK OR SCAN TO DISCOVER IT ON YOUTUBE

NEW AIRBAG SIMULATOR RESISTOR RESET KIT

HU31026







1.8 Ohm | 2.2 Ohm | 2.5 Ohm | 2.7 Ohm | 3.3 Ohm

- Essential for precise SRS system diagnostics, this kit allows simulating an airbag's resistance to determine whether the fault actually comes from the airbag or another component (wiring, electronic control unit, etc.).
- Before any costly replacement, it helps accurately pinpoint the source of the problem.
- After an accident, these simulators also allow checking the integrity of the wiring without risking damage to a new airbag.
- A simple and effective tool to avoid unnecessary repairs and quickly identify the faulty component.

NEW AUTOMATIC RETRACTION CABLE

HU31029

- No more tangles with the banana cables !
- Save time and create a cleaner work environment with the 1-meter automatic retraction system.
- Each end has male and female connection to allow for multiple connections






DIAGNOSTIC TEST LEAD SET (124 PCS)

HU31022

- Complete lead kit for automotive diagnostics.
- Y-connectors for in-series test
- Ultra-thin tips, ideal for multi-pin connectors
- Includes a comprehensive set of connection leads for sensors, valves, connectors, injectors,..
- All leads are arranged properly in pairs "Male & Female" and by terminal sizes.
- Includes ATC, Mini and Maxi fuse adapters and ATC Current loop to be used with an Amp Clamp.






6 PCS NEEDLE TEST PROBE SET

HU31021

High quality double insulated silicone test leads

Set includes:
- 2 x Cable piercing
- 2 x 90° needles
- 2 x 90° banana cables







NEW


15PCS Y-LEAD SET


HU31028

The Y-leads enable maintaining a closed electrical curcuit while reading the live signal









LEAK DETECTION SMOKE MACHINE

HU12020

Detect leaks quickly and efficiently


- Precise inspection of closed circuits: cooling systems, fuel (EVAP), exhausts, turbos, and sealed compartments (e.g., engine blocks)
- Complete kit includes: oil bottle for smoke generation, accessories, and universal inflatable adapter
- Built-in air compressor: 1.3 bar for autonomous and efficient operation (integrated pump)





CLICK OR SCAN TO DISCOVER IT ON YOUTUBE







NEW

METAL TRAP KIT


HU35043


Metal Particle Detection Tool for Diesel Circuits

This tool is used in workshops to detect the presence of metal particles in the diesel fuel supply circuit, particularly at the outlet of the high-pressure pump. These particles are usually an early sign of high-pressure pump deterioration, a problem often identified too late, after several injector replacements.

Applications :

- When an injector shows signs of malfunction (clogged or defective).
- To check for the presence of metal debris in the low-pressure circuit and thus prevent repeated injector replacements.





NEW

RECHARGEABLE DIGITAL WIRELESS STETHOSCOPE

STE97605

- **NOISE DETECTION** – Detect the source or squeaks, rattles, and other errant or troublesome noises throughout a car or truck's chassis
- **LCD TOUCHSCREEN** – 4.3-inch color LCD touch sensitive screen with easy to use interface.
- **RECHARGEABLE** – Control unit and transmitters feature internal rechargeable batteries






WIRELESS ELECTRONIC STETHOSCOPE

STE97216

NOISE DETECTION – Detect the source or squeaks, rattles, and other errant or troublesome noises throughout a car or truck's chassis

CLICK OR SCAN TO DISCOVER IT ON YOUTUBE







RECORDING CABLE

HU97001

- RECORD your test on any IOS or Android device and SHARE them EASILY.
- Compatible with STE97605 and STE97216






ULTRASONIC STETHOSCOPE

HU33003

- High-sensitivity leak detector

Ideal for inspection and checking of :

- Vacuum and air leaks
- Air conditioning leaks
- Electrical systems (insulation faults, sparks, relays...)
- LPG systems
- Tire leaks
- Passenger compartment sealing





INDUSTRIAL

COMING SOON

NEW

INDUSTRIAL PIPE INSPECTION VIDEOSCOPE 22M

HU23102N



CLEAR DRAIN INSPECTIONS. PRICED FOR ALL.

Designed for detailed visual inspection in confined and hard-to-reach areas, this compact inspection camera provides clear visibility inside pipes, drains, toilets, traps and other narrow spaces. Suitable for both indoor and outdoor applications, it is easy to handle and transport. Quickly locate blockages, identify issues and provide customers with clear visual evidence of the work carried out.

Key Benefits

Block Identification
Find cracks, blocks and more in pipe from 1-½" to 4" with 20mm, 1080p camera.

Pipe Navigation
Steer through tricky bends and traps with 22m reel, specifically on residential and commercial jobs

Flexible Uses
Use in p-traps, sinks, toilets, floor drains, laterals and small residential drains

Adaptable Locating
512 Hz, industry standard sonde, pairs with most locator tools.

Customer Trust
Transfer images/videos to customers so they can see problems and reduce call backs

Why This Camera?

7" HD Capacitive Touchscreen
Large, clear view to identify blocks in dark piping, both indoors and outdoors in sunlight

Up-is-Up™
Self leveling technology keeps your sight level in complex piping

Price
Core features at an attractive price point.

Compact & Durable
Easy to transport and built to withstand drops, sharp edges in piping, and the daily grind.

NEW

ARTICULATED VIDEOSCOPE 2 WAYS – ∅ 3.9 MM

HU23157

CLICK OR SCAN TO DISCOVER IT ON INSTAGRAM

The high-end automotive diagnostic videoscope

- 3.9mm diameter camera
- 2-way articulated 1-meter probe (1280 x 720 px)
- 6 integrated LEDs – 3 adjustable levels of brightness
- 4.5'' IPS HD display – 480 x 854 px
- Rechargeable 3.7V-5.000mAh Li-ion Battery
- Focal distance: 20-50mm
- Camera view angle: 80°
- Temperature displayed on screen
- Image rotation function
- Photo & video storage function
- IP67 rated camera
- Included accessories: 5V-2A charging plug, USB to USB-C cable & 32GB memory card





NEW

VIDEOSCOPE DUAL LENS ∅ 3.9 MM

HU23153

CLICK OR SCAN TO DISCOVER IT ON INSTAGRAM

Compact, precise, and durable

- Dual HD camera for front and side views
- Waterproof probe for gasoline, diesel, or oil inspections
- 5'' HD IPS color display with tempered glass for optimal visibility
- Adjustable LED lighting on each lens for even visibility in hard-to-reach areas
- Rechargeable lithium battery via USB-C for extended on-site operation



SPEAKER & MIC VOCAL ANNOTATION



3500MAH LITHIUM BATTERY



5-INCH HD SCREEN



NEW **UNIVERSAL PRESSURE TESTER 2.0**

PATENTED

- Replaces all old analog testers with a single high-precision digital device.
- Thanks to its touchscreen tablet and Bluetooth module, it ensures reliable and fast measurements — both pneumatic and hydraulic.
- Allows comparison between the physical values measured in the circuit and those read by diagnostic tools.

Tablet

- Wi-Fi connection for automatic test result uploads (traceability and warranty proof) and automatic software updates
- Bluetooth connection with the wireless module
- Wired connection: pressure sensors can also be connected directly to the tablet
- Touchscreen with intuitive, icon-based interface
- USB-C port for fast charging
- Dual reading: possibility to connect two pressure sensors simultaneously
- Light and dark display modes for optimal comfort

Bluetooth Module

- Compact and perfect for road tests
- Mounts under the hood and communicates directly with the tablet in the vehicle via Bluetooth
- Up to two pressure sensors connected simultaneously
- Built-in lithium-ion battery with real-time charge status displayed on the tablet

All your test results accessible online from any device!
Guaranteed traceability



CLICK OR SCAN TO DISCOVER IT ON YOUTUBE

BLUETOOTH MODULE FOR PRESSURE TESTER 2.0
(INCLUDED IN KIT HU35060)

HU35055-2



UNIVERSAL PRESSURE TESTER 2.0

HU35050

- Wired connection



UNIVERSAL PRESSURE TESTER 2.0 WITH WIRELESS MODULE

HU35060

Bluetooth or wired connection



Both kits include:

- 7" touchscreen tablet with lithium-ion battery
- -1 to 3 bar probe
- 0 to 300 bar probe
- Universal compression adapter for petrol engines
- Universal compression adapter for diesel engines
- 9x "T" adapters with SAE connectors (e.g. fuel pressure)

NEW


0-20 BAR SENSOR

HU35050-3

- Ideal for compression measurements on petrol engines (e.g. PureTech, Ecoboost, TFSI, etc.)



Example of a fuel pressure test



Example of a compression test



PRESSUREDIAG ACCESSORIES



CYLINDER LEAKAGE TESTER

HU35027



ENGINE AND TURBO OIL PRESSURE ADAPTERS (15 PCS)

HU35033



GASOLINE HIGH PRESSURE ADAPTER SET (5 PCS)


HU35029

PATENTED



UNIVERSAL TURBO PRESSURE ADAPTER SET

HU35042



UNIVERSAL T ADAPTERS

HU35041

CLICK OR SCAN TO DISCOVER IT ON YOUTUBE



AIR CONDITIONING ADAPTER SET

HU35038



FUEL LINE SWIVELING QUICK DISCONNECT TOOL

HU35019



COMMON RAIL INJECTOR CAP SET M12 & M14

HU35030



COMMON RAIL DUMMY REGULATOR SET

HU35031




DIESEL HIGH PRESSURE SET

HU35026



90° COMMON RAIL ADAPTER SET (6 PCS)


HU35028



BMW DIESEL ADAPTER SET M15 X100

HU35032

PATENTED



UNIVERSAL DIESEL GLOW PLUG COMPRESSION ADAPTER

HU35039



UNIVERSAL DIESEL COMPRESSION ADAPTER

HU35037



E85 ETHANOL ACCESSORY KIT

HU35035

NEW ACCESSORIES

FLEXIBLE COMPRESSION TEST ADAPTER FOR PETROL ENGINES M10 X 1.0 - L. 250 MM

HU35020-9

Ideal for petrol engines equipped with deep and narrow spark plug wells where spark plug access is limited.

Typical applications:

- **Renault and Dacia 1.0 TCe, 1.2 TCe and 1.3 TCe**
- **Nissan DIG-T**
- **Ford EcoBoost**
- **BMW MINI (selected engines)**
- **Many modern petrol engines using M10 x 1.0 spark plugs**



BRAKE PRESSURE AND BALANCE TEST KIT

HU35046

Simultaneous left and right brake pressure measurement for instant brake balance verification.

This kit enables fast and accurate evaluation of the condition, efficiency and balance of the braking system by measuring hydraulic pressure simultaneously at two points within the brake circuit.

Using the two included 0 to 200 bar electronic pressure sensors, pressure values can be compared in real time at brake calipers, wheel cylinders or other hydraulic circuit test points to identify:

- **Left/right brake pressure imbalance**
- **Restricted or blocked brake hoses and lines**
- **Sticking brake calipers**
- **Faulty master cylinders**
- **Loss of hydraulic efficiency within the braking system**

The 5 m sensor cables allow the technician to perform the test alone. The tablet can be placed on the technician's lap while operating the brake pedal, providing instant visualization of pressure values and brake balance deviations.

Kit includes :

- **2 electronic pressure sensors, 0 to 200 bar**
- **22 connection adapters covering most vehicle applications**
- **5 m measuring cables**

Applications :

- **Brake hydraulic pressure testing**
- **Left/right hydraulic balance verification**
- **Rapid diagnosis of braking system faults**
- **Validation of repairs following replacement of brake calipers, hoses, master cylinders or ABS units**



NEW

HEAVY-DUTY & AGRICULTURE ACCESSORY KIT

EXTENSION FOR HU35050 / HU35060

HU35045

COMING SOON



ALL PRESSURE AND COMPRESSION TESTS IN ONE CASE

Designed to complement the PressureDiag HU35050 and HU35060 pressure diagnostic tablets, this new set includes 22 professional adapters dedicated to heavy-duty vehicles, buses, trailers and agricultural machinery.

It enables quick performance of the main diagnostic checks without unnecessary disassembly.

ONE CASE – MULTIPLE APPLICATIONS

1. FUEL SYSTEM TESTING

- Low-pressure fuel measurement
- Quick diagnosis of fuel supply problems

2. ADBLUE® / SCR SYSTEM

- AdBlue® pressure measurement
- AdBlue® injector testing
- Quick diagnosis of SCR system faults

3. PNEUMATIC SYSTEM TESTING (ABS & ESP)

- Tractor brake pressure testing
- Trailer brake pressure testing
- Compressed air circuit diagnosis

4. ENGINE COMPRESSION TESTING

DAF SCANIA VOLVO

AND MANY MORE...

Specific adapters allow the direct connection of the tablet to OEM test ports on the manufacturers' vehicles.

TRUCK

5. NOX & LAMBDA TESTING

- Connection at the NOx sensor or exhaust temperature sensor port
- Connection at the Lambda sensor port
- Measurements without complex disassembly

THE ESSENTIAL COMPLEMENT TO YOUR PRESSUREDIAG FOR HEAVY-DUTY AND AGRICULTURAL VEHICLE DIAGNOSTICS.



NEW

COMING SOON

Pressure Diag CONNECT

A UNIQUE APP

Compatible with any Android tablet that allows the installation of third-party applications





COMPATIBLE WITH:

AUTEL / LAUNCH / TOPDON
UDIAG / AUTOFIX

And all other Android tablets that allow the installation of third-party applications

Android

REAL-TIME MEASUREMENT
Pressure readings taken directly from the circuit

RELIABLE DIAGNOSTICS
Detects faulty sensors, damaged wiring and calculation errors

ACCURATE RESULTS
Measurement recording and sharing

MASTER CYLINDER ADAPTER SET

HU11004

- 10 dedicated caps
- 1 universal cap
- 90° adapter
- 1 syringe






NEW

BRAKE BLEEDING RATCHETING WRENCH

HU11009

CLICK OR SCAN TO DISCOVER IT ON YOUTUBE

- Enables a clean brake bleeding job without removing the wheels of the vehicle
- Patented brake bleeding 2-way ratcheting wrench with special short and long sockets – size metric 7, 8, 9, 10, 11, 12.
- Includes a high-quality silicon hose.









NEW

UNIVERSAL BRAKE BLEEDER CAP ADAPTER

HU11007

- The universal solution to connect to the master cylinder reservoir for pressure bleeding with (for example) our HU11030 or HU11006
- Compact design with 90° quick coupler, will fit even when the reservoir is hard to reach
- Clamps on the threaded or ¼ thread part of the reservoir (no chain under the reservoir)
- Adjustable height and width 4 interchangeable rubber cones to fit all sizes of reservoirs

CLICK OR SCAN TO DISCOVER IT ON YOUTUBE



NEW

ELECTRONIC BRAKE PRO BLEEDER

HU11030 HU11035

THE BRAKE BLEEDER FOR EVERY WORKSHOP!

PATENTED

MADE IN BELGIUM

AUTOMATIC BRAKE FLUID LEVELING

AUTOMATIC START / STOP

GEAR PUMP

CLICK OR SCAN TO DISCOVER IT ON YOUTUBE

- Digital pulse pressure adjustment from 0.5 to 4.5 bar (7.25 to 65 psi)
- Automatic levelling of the master cylinder reservoir at the end of bleeding
- LCD colour display with 6 selectable languages: (EN, FR, DE, IT, NL, ES)
- Automatic shut-off if :
  - wrong pressure is detected
  - There is a leak in the braking system
  - The new DOT drum or can is empty
- Flush mode allowing the use of another fluid (DOT)
- Heavy duty design for intensive use
- Powered by the vehicle's 12V battery
- Optional: power supply via auxiliary 12V battery or 110-230V AC to 12V DC transformer (HU11038).
- Cable and hose length: 5 m
- Supplied with European master cylinder cap, waste fluid collection bottle and rubber cone for drum and canister

0.5 TO 4.5 BAR



BATTERY RECEIVER MILWAUKEE M12

HU11030-9





2 CONFIGURATIONS:

HU11030: Portable version up to 20 L
HU11035: On trolley version up to 60 L

Also available :
HU11036: Trolley only
(to upgrade the portable version to on-trolley version)

AUTOMATIC BRAKE BLEEDER 12V

HU11006N

- Compatible with ABS/ESP systems
- 12v powering with reverse polarity warning
- Stainless steel body
- Electrical pump with automatic power-off valve
- Regulator from 0 to 3,5 Bar
- 5L reservoir with visible (min) level indication
- Auto power-OFF when min level is reached
- Large reservoir opening for easy cleaning
- 12V power cable with jack (L: 4m)
- For brake fluid with quick coupling system
- Delivered with fluid refill reservoir with chain and universal screw-on adaptor (compatible with 85% of vehicle fleet)

0,5 TO 3,5 BAR

5L



COST EFFECTIVE 12V PRESSURE BLEEDER



BRAKE FLUID BOILING POINT TESTER

HU11010

- DOT3/4/4+/5/5.1 compatible
- A single control button
  -> very simple use
- Clear indication of the recommended boiling T° for DOT 3/4/5 on the screen.
- Removable electrical heating element / available as a spare part.
- One test = max. 30 seconds
- 12V = No risk associated with 220V






ADVANTAGE OF BOILING POINT:

- Much more accurate and reliable than conductivity testers
- This type of test is recommended by brake fluid manufacturers and the automotive manufacturers.



Typical Dry Boiling Point: 245 °C (473 °F)
Typical Wet Boiling Point: 158 °C (316 °F)




UNIVERSAL MALE/FEMALE PLUGS

MI6004














PATENTED

UNIVERSAL DIESEL GLOW PLUG PULLER M8, M10 X 1.00, M10 X 1.25

HU41051





CLICK OR SCAN TO DISCOVER IT ON YOUTUBE


SPECIAL CENTERED MILLS

Self-centering industrial cutters



GLOW PLUG THREAD REPAIR SET M8, M9, M10 X 1.00, M10 X 1.25

HU41058





CLICK OR SCAN TO DISCOVER IT ON YOUTUBE





Inserts available separately

PATENTED

UNIVERSAL GLOW PLUG TIPS PULLER M8, M9 & M10

HU41050

- Easy to use in hard-to-reach places
- Enables broken glow plug tips stuck in the cylinder head to be easily removed
- The kit Includes 4 different guides
- The tap, drill bit and extractor holders reproduce the shape of original glow plug for perfect centering and avoid any damage in the cylinder head
- Self-centering industrial taps
- The size of the drill bits and the shape of the holder prevents any risk of drilling or tapping too far into the cylinder head
- In the event of the tips being flared in the cylinder head, the kit has an ejector that enables the tip to be pushed back into the cylinder before retrieving it with the appropriate magnet included in the kit
- Easy 4-step operation





SELF-CENTERING TAP




STOP BLOCK
-> NO MEASURING NEEDED

1 = M8 x 1.00	3 = M10 x 1.00
2 = M9 x 1.00	4 = M10 x 1.25

CLICK OR SCAN TO DISCOVER IT ON YOUTUBE

REMOVES BROKEN TIPS



PUNCH FOR FLARED TIPS



PATENTED

UNIVERSAL INJECTOR PULLER

HU41055

- Eliminates the need to remove the electrical part of the injector
- Two ways of extracting the injector:
  - by rotating (handle)
  - by rotating AND slide hammering





DENSO, BOSCH, DELPHI, SIEMENS

COMMON RAIL & PIEZO INJECTORS

COMPATIBLE CARS 1999 > TODAY



OPTIONNAL SPECIAL ADAPTER FOR FORD ENGINES

HU41055-6

NEW


LOW PROFILE PNEUMATIC DIESEL INJECTOR PULLER WITH HANDLE

HU41056

A powerful, fast, and compact tool for extracting even the most stubborn injectors, even in the tightest engine compartments.

Key features :

- Dual function: combines the power of a hammer with the speed of a pneumatic tool for maximum efficiency
- Compact design: on average 47 mm shorter than competing products, easily fits even in restricted access behind the firewall.
- Includes handle: makes positioning and removing the tool easier.
- Can be used without handle in very tight areas.




Adjustable impact mode :


- Hammer mode:
  Long stroke for maximum force.
- Fast vibration mode:
  Shorter stroke for vibration effect.

Included in the kit :

- Threaded adapters M14, M17, M20, M25, and M27
- Compatible with most diesel injectors:
  Denso, Siemens, Delphi, Bosch (internal thread).

CLICK OR SCAN TO DISCOVER IT ON YOUTUBE






PATENTED

DIESEL INJECTOR SEAL EXTRACTOR


HU41010



- Supplied with 2 pullers: for passenger cars and commercial vehicles




CLICK OR SCAN TO DISCOVER IT ON YOUTUBE



UNIVERSAL INJECTOR SEAT CLEANING SET

HU41039

- This kit allows for a clean and gentle cleaning before installing the new injector.





CLICK OR SCAN TO DISCOVER IT ON YOUTUBE

NEW

EXHAUST SENSOR THREAD REPAIR KIT

HU41059

Ideal all-in-one solution for:


- Removing exhaust system sensors, including O2 (lambda), NOx, and temperature sensors, using specially designed sockets
- Cleaning and restoring damaged threads in the exhaust system with precision thread taps
- Also suitable for servicing other exhaust-related threads, such as those found on pressure differential sensor lines.
- The compact, low-profile design allows for efficient work in tight and hard-to-reach areas.

Thread Sizes Included:

- M12 × 1.25, M14 × 1.5, M16 × 1.5, M18 × 1.5, M20 × 1.5, M22 × 1.5

Sensor Socket sizes:

- 14 mm / 17 mm / 19 mm / 22 mm / 24 mm





QUICKFLOW DRILL PUMP TRANSMISSION KIT

AB71197

- Compatible with most fluids used in the automotive, marine, industrial and domestic sectors, including engine oil, automatic transmission fluid, gear oil, brake fluid, coolant, power steering fluid, etc.
- The Quickflow pump is a high-efficiency gear pump.
- It features a foldable mounting hook, allowing the pump to be operated using a 3/8" pneumatic ratchet.
- Using the included universal adapter, the pump can also be driven by most cordless drills at speeds of up to 1,500 RPM.
- Supplied with a pressure hose fitted with quick couplings for easy adapter replacement.
- Adapters made from highly resistant polymer, offering exceptional chemical resistance.
- Not suitable for use with gasoline.





UNIVERSAL COOLING SYSTEM PRESSURE & CAPS TESTER

AB70809


Fits all cooling systems without adapters

- Non-conductive nylon and fiberglass pump
- Removable tube
- Intuitive valve device to switch from bladder phase to system phase
- Colour-coded adaptable parts
- Checks the sealing system for all passenger vehicles using the inflatable membrane
- Checks radiator caps using 6 double adapters with a unique design, suitable for testing most radiator caps
- Allows leaks to be located also at :
  - Head gasket
  - Radiator or heater
  - Hoses or water pump





CLICK OR SCAN TO DISCOVER IT ON YOUTUBE



DIAMETERS UP TO 60 MM

PROFESSIONAL 3-IN-1 COOLING SYSTEM SERVICE KIT


HU46035

COMING SOON

Flushing / Filling / Automatic Bleeding

One complete solution for cooling system maintenance

Developed for professional workshops, this kit performs the three essential operations on cooling systems: flushing, vacuum filling and automatic air bleeding. Its anodized aluminium construction ensures strength, durability and reliable performance under intensive use.



1. HIGH-PERFORMANCE FLUSHING

Effectively removes sludge, deposits and contaminants thanks to a powerful vortex effect generated by water and compressed air.

2. VACUUM FILLING

Creates a vacuum in the cooling system to eliminate air pockets, check for leaks and automatically draw in the new coolant.

3. AUTOMATIC AIR BLEEDING

Removes the remaining air bubbles to ensure optimum system performance and help reduce customer claims.

PRODUCT BENEFITS

- Robust anodized aluminium construction
- Universal fit
- Suitable for combustion, hybrid and electric vehicles
- Saves time and reduces warranty claims










NEW

DRIVE SHAFT DISASSEMBLY LEVER

HU43027

- Its U-shaped design ensures equal force distribution on both sides of the drive shaft.
- The precisely machined beveled head makes it easy to insert the tool between the drive shaft and the gearbox, providing optimal leverage for removal.
- Facilitates the removal of drive shafts equipped with retaining clips (circlips).
- Thanks to its clever design, with a beveled head and support around the entire circumference of the drive shaft, this tool allows efficient removal without putting pressure on the gearbox, preventing any risk of damage.



CLICK OR SCAN TO DISCOVER IT ON INSTAGRAM






71CM

IDEAL FOR DRIVESHAFTS WITH RETAINING CLIPS / CIRCLIPS

ALFA ROMEO, BMW, CITROËN, DACIA, FIAT, Ford, NISSAN, Mercedes-Benz, OPEL, MINI, TOYOTA, KIA, HYUNDAI, VOLVO, MAZDA, PEUGEOT








PATENTED

ARTICULATED MCPHERSON LIFTING TOOL (500 KG)

HU43025

- Ideal for the following operations:
  - Removal and installation of struts / McPherson
  - Removal and installation of drive shaft (CV joints)
  - Removal and installation of suspension arms and ball joints
- No risk of damage to parts such as sensors, wiring harness, plastic protection, body panels
- To be mounted on 25-30mm hydraulic transmission jacks
- Soft clamping jaws to avoid damage to the strut.
- 3 sizes of jaws:
  - light vehicle
  - light commercial vehicle (optional)
  - rear shock absorbers (optional)
- Horizontal adjustment and full articulation
- 100% safe operation (operator has both hands free to work safely)
- Compatible with EV & Hybrid cars





CLICK OR SCAN TO DISCOVER IT ON YOUTUBE

ALSO WORKS ON EV & HYBRID CARS
TO BE MOUNTED ON ANY TRANSMISSION JACK (25-30MM)

NEW


HUB SPREADER

HU43026

Designed to open and hold the wheel hub, facilitating the easy removal and refitting of the suspension strut.

CLICK OR SCAN TO DISCOVER IT ON YOUTUBE

ULTRA-ROBUST







NEW

EZ ROLLER SPINNER UNIVERSAL WHEEL

HU42030

CLICK OR SCAN TO DISCOVER IT ON INSTAGRAM

The ideal solution for automotive garages and dealerships, repair workshops, breakdown and towing services, tyre and wheel repair specialists, motorsport teams

One-of-a-kind mobility solution

Allows all types of vehicles to be moved in the most delicate situations: brakes locked, gearbox locked, damaged or stolen wheel, battery failure on EVs, etc.

Ultra easy to use

Simply attaches to the vehicle's hub and allows it to be moved in a workshop or onto a recovery truck, even if the brakes are locked. It uses the vehicle's original wheel bolts and requires no additional parts.

Compatible with 90% of the vehicle fleet thanks to its universal hub

Suitable for front-wheel drive, rear-wheel drive and all-wheel-drive vehicles with 4- and 5-lug wheels from 14" to 20": passenger cars, LCVs, SUVs, HEVs and electric vehicles.

Robust and durable

Equipped with a tread allowing the vehicle to be pushed or pulled on all surfaces, even uneven ones, as well as on slopes, ramps and gravel.

TECHNICAL SPECIFICATIONS

- Dimensions: 22 x 2,5" (56 x 5cm)
- Weight: 11 kg
- Max load: 1000 kg per wheel
- Max speed: 8 km/h





5/6-HOLE HUB KIT

HU42032

- Adapts to the universal wheel HU42030 to make it compatible with vehicles equipped with 5- or 6-bolt wheels.



UNIVERSAL WHEEL EZ ROLLER-SPINNER HD 5/6

HU42036

- Premium internal bearing system
- High-strength technopolymer tread
- Load capacity up to 1,500 kg
- Compatible with 15" to 21" wheels



4-WHEEL STORAGE TROLLEY

HU42035


- Allows storage and transport of up to 4 wheels when they are not in use.
- Equipped with a storage tray on top and a lower shelf.

DUAL FUNCTION

1 SPINNER Mode (free wheel) :

- Allows vehicles with a locked hub to be moved (locked brakes, transmission problems, EV battery failure, ...)










2 ROLLER Mode (Fixed wheel) :

- Allows the EZ wheel to be used as a spare wheel (max. speed 8 km/h)







PATENTED

Lugdriller HUDITOOLS DESIGN

LOCKING LUG NUT REMOVAL SET

HU42025



The universal solution when the original key is lost or when the locking wheel nut is damaged by an impact wrench.

The Lugdriller® is the universal tool to remove the most difficult locking lug nuts in the quickest and safest way.

- Compatible with all types of anti-theft wheel nuts, regardless of brand or shape.
- Also effective on damaged lug nuts.


Set includes :

- 4 internal nylon centering sleeves
- 3 external metal centering caps
- 1 metal centering sleeve for Volvo
- 2 special ultra-hard drills
- 4 impact extractors
- 1 holder for impact extractor
- 1 removal tool for impact extractor

CLICK OR SCAN TO DISCOVER IT ON YOUTUBE







EXAMPLE:
With the new Stellantis locking wheel nut

CITROËN DS AUTOMOBILES OPEL PEUGEOT





DOSIL – SILENT TIRE DEFLATOR

HU43012




FOR TYRE DEFLATION OPERATIONS – PASSENGER CARS AND, IN PARTICULAR, HEAVY-DUTY VEHICLES.




NEW

MAGNETIC ADJUSTABLE TOOL HOLDER

HU51030







NEW

MAGNETIC CAN CLIPS (5 PCS)


- Ideal for workshops or DIY
- Designed to conveniently store and transport cans between the toolbox and the workstation
- Equipped with strong magnets for secure attachment to metal surfaces



HU51020	Set of 5 clips (⌀62 mm)
HU51021	Set of 5 clips (⌀45 mm)

CLICK OR SCAN TO DISCOVER IT ON INSTAGRAM





NEW

SMART & MOBILE OIL BAR DISPENSER

HU46030

CLICK OR SCAN TO DISCOVER IT ON YOUTUBE





SMART & MOBILE OIL BAR

- The Smart & Mobile Oil Bar is a robust, autonomous dispensing unit designed to simplify and optimize fluid management in modern workshops.
- It supports all types of motor and gear oils, and can hold up to 6 x 20L or 6 x 30L containers.
- With an average-sized workshop (6 technicians), the return on investment is reached within 5 to 6 months, thanks to time saved per fill-up, reduced oil waste,.

Efficient. Intelligent. European-Made.

- Battery powered (via a 12V power tool battery, e.g. Milwaukee)
- Equipped with a high-performance gear pump
- Adjustable flow speed helps avoid engine spillage and keeps work area clean



Time-saving & Cost-efficient

- Frees up technician time (avg. 5 minutes saved per fill-up)
- Integrated software reduces risk of using incorrect oil
- Precision dosing = reduced waste (garages lose ~7% of oil due to spills and overfilling)

Comfort & Ergonomics

- Ergonomic trolley design for easy mobility in the workshop
- Enables technicians to work closer to vehicles
- Reduces physical strain and risk of injury

	Traditional Method (Jug)	Smart & Mobile Oil Bar Dispenser
Efficiency	Manual process, time-consuming	Autonomous system, saves ~5 minutes per fill-up
Oil Waste	Frequent overfills and spills (avg. 7% loss)	Precise dosing, minimizes waste
Risk of Error	Higher risk of using wrong oil	Software reduces risk of incorrect oil usage
Cleanliness	Risk of spills on floor or engine bay	Controlled flow, avoids drips and keeps work area clean
Traceability	None	Automatic recording: operator, oil type, volume
Billing Accuracy	Errors and omissions are common	Automated, error-free billing
Stock Management	Manual, prone to delays and stockouts	Automatic reorder notifications to supplier
Mobility	Jug must be carried manually	Mobile, ergonomic trolley
Operator	Repetitive bending and lifting, injury risk	Work closer to vehicle, reduces physical strain
	 	

Hubitools
INNOVATIVE TOOL EXPERTS

2-IN-1 HOT AIR & HOT IRON PLASTIC WELDING STATION

HU31040

CLICK OR SCAN TO DISCOVER IT ON YOUTUBE





HOT AIR WELDER

DESIGNED TO WELD ALL VEHICLE PLASTIC PARTS:

- ► BUMPERS
- ► BODY PANELS
- ► HEADLIGHT BRACKETS
- ► FRONT MASKS



AIRLESS IRON WELDER

RUE DE LA STATION 13,
1300 WAVRE,
BELGIQUE

YOUR DISTRIBUTOR:

+32 10 42 03 85

INFO@HUBITOOLS.COM

FOLLOW US hubitools.com | hubitools.sa | hubitools | hubitools